



**Bed Bug Treatment Preparation Sheet**  
**(English & Spanish)**

Checklist:

1. Remove all sheets, blankets, and dust covers from all beds, mattresses, and futons. Place into heavy plastic, **airtight**, bins or bags. Seal tightly and have items laundered in hot water and hot dry. **The Containers Must Be Airtight or Treatment Will Be Ineffective.** Mattresses and box springs should be placed in good quality covers. If you would like the mattresses and box springs treated, please remove the plastic covers. If technician removes the plastic cover and it is damaged, Potomac Pest Control is not responsible.
2. Do not remove any furniture, including bedside stands, dressers, chairs, sofas, pictures, or any part of the bed frame, mattress, or box spring unless they are first wrapped tightly in plastic sheeting. If any furniture is to be replaced do not bring in new furniture until all services have been completed.
3. Cover all fish tanks, animal cages, and remove birds and bird cages from areas to receive treatment.
4. Remove pet bedding from the rooms and wash them in hot water and dry; place back in room after treatment.
5. All baby crib linens should be washed. Stuffed animals should be placed in dryer on high heat for 20 minutes.

6. Remove all stored items from under the beds but leave items in the rooms for treatment. If disposing of items, they must be wrapped in plastic to be removed from the unit or home to prevent cross contamination.

7. Empty all items and clothing from dressers and nightstands. Remove all materials from the floor and out of the closets. Hanging clothes can remain, unless fogging or other self-treatment has already been done. This will drive the bugs into the closets and additional treatment is required.

8. Open any sofa beds and remove loose covers that may be on upholstered furniture. Launder these covers in hot water and hot dry.

9. Before treatment all occupants must leave the unit and not enter for a minimum of 4 hours. Aquariums may remain in place as long as the filtration and aeration systems are turned off and the tank covered with wet towel. Filtration and aeration equipment can be turned back on in 6 hours after the bed bug treatment.

**These instructions should be followed for effective service. Thank you for choosing Potomac Pest and Termite Control and we appreciate your cooperation!**

**TRATAMIENTO DE PREPARACIÓN HOJA**

1. Quite todas las hojas, mantas y cubiertas polvo de todas las camas, colchones y futones. Coloque en plástico grueso, Hermético, recipientes o bolsas. Sellar herméticamente Y Tener artículos lavados en agua caliente y seca caliente. Colchones y somieres deben ser colocados en cubiertas de buena calidad. Si desea que el Colchones y somieres tratados, retire las cubiertas de plástico. Si el técnico quita la cubierta de plástico y está dañado, Potomac Pest Control no es responsable.
2. No retire ninguna muebles, incluso los Stands mesita de noche, Tocadores, sillas, sofás, cuadros, o cualquier parte de la estructura de la cama, colchón, o somier a menos que primero envueltos en láminas de plástico. Si los muebles se va a sustituir no traen muebles nuevos hasta que todos los servicios se han completado.
3. Cubra todos los acuarios, jaulas de animales, y eliminar Pájaros y jaulas de aves de las zonas que reciben tratamiento.
4. Retire las camas para mascotas desde las habitaciones y lávelas con agua caliente y seca; lugar de nuevo en la habitación después del tratamiento.
5. Todos Sábanas Cuna bebé debe ser lavada. Animales de peluche deben ser colocados en la secadora a temperatura alta durante 20 minutos.
6. Quitar todos los elementos almacenados de debajo de las camas, pero dejar objetos en las habitaciones para el tratamiento. Al deshacerse de artículos, deben ser envueltos en plástico que se extrae de la unidad o en el hogar para evitar la contaminación cruzada.
7. Vacíe todos los artículos y ropa de armarios y mesitas de noche. Retire todos los materiales del suelo y de los armarios.

8. Apertura de cualquier sofá cama y quite las tapas sueltas que pueden estar en los muebles tapizados. Lave estas cubiertas en agua caliente y seco.

9. Antes del tratamiento Todos los ocupantes deben salir de la unidad y no entrar por un mínimo de 4 horas. Acuarios podrán mantenerse siempre y cuando la filtración y sistemas de aireación se desactivan y el tanque, cubierta con una toalla mojada. La filtración y equipos de aireación puede ser activada en 6 horas después del tratamiento de chinches.

**Estas instrucciones deben ser seguidas para un servicio eficaz. Gracias por elegir Potomac Pest and Termite Control y le agradecemos su cooperación!**